

# ANTI<sup>3</sup>

PROTECT SERIES

**Disinfectant  
Deodorizing  
Equipment Spray**



**CLEANS**

**DEODORIZES**

**DISINFECTS**

**Active Ingredients:**

Octyl decyl dimethyl ammonium chloride .....	0.025%
Dioctyl dimethyl ammonium chloride .....	0.010%
Didecyl dimethyl ammonium chloride .....	0.015%
Alkyl (C <sub>14</sub> , 50%; C <sub>12</sub> , 40%; C <sub>16</sub> , 10%) dimethyl benzyl ammonium chloride ....	0.034%
Other Ingredients: .....	<u>99.916%</u>
Total: .....	100.000%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION PRECAUCIÓN**

See side panel for Precautionary Statements and First Aid

**NET CONTENTS: 1 Pint (16 fl. oz.)**

**ANTI 3 Protect Series Disinfectant Deodorizing Equipment Spray  
Cleaner – Fungicide – Mildewstat – Virucide\* – Deodorizer**

**Use ANTI 3 Protect Series Disinfectant Deodorizing Equipment Spray** to clean and disinfect nonporous personal protective safety equipment, wrestling headgear, boxing headgear, protective headgear, athletic helmets, hard hats, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, hearing protectors and ear muffs. Rinse all equipment that comes in prolonged contact with skin with warm water and allow to air dry before reuse. Precaution: Cleaning at 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement. Use this product to clean and disinfect nonporous athletic mats, wrestling mats, gymnastic mats, exercise equipment and training tables. This product is a mildewstat and will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard non porous surfaces.

**EPA REG. NO. 6836-152-91579 EPA EST. NO. 1459-PA-01**

f /anti3protectseries    t /anti3protect    i /anti3protectseries

QUESTIONS OR COMMENTS? PLEASE VISIT:

[WWW.ANTI3PROTECTSERIES.COM](http://WWW.ANTI3PROTECTSERIES.COM)



**ANTI<sup>3</sup>**  
PROTECT SERIES

Distributed by: ANTI3

333 Jericho Tpk Suite 220  
Jericho, New York 11753

This product deodorizes by killing microorganisms that cause offensive odors. Use **ANTI 3 Protect Series Disinfectant Deodorizing Equipment Spray** in: athletic facilities, exercise facilities, locker rooms, institutional facilities, shower and bath areas, and bathrooms. Use this product on washable hard, nonporous surfaces of: floors, walls, finished woodwork, chairs, vinyl and plastic upholstery, metal, plastic, bathroom fixtures, showers, shower stalls, sinks and glazed tiles.

**ANTI 3 Protect Series Disinfectant Deodorizing Equipment Spray** is a one-step disinfectant, Bactericidal according to the current AOAC Use-Dilution Test Method, Fungicidal according to the AOAC Fungicidal Test and Virucidal\* according to the virucidal qualification modified in the presence of 5% organic serum against: *Pseudomonas aeruginosa*, *Salmonella enterica*, *Staphylococcus aureus* [Staph] *Acinetobacter baumannii*, *Burkholderia cepacia*, *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterobacter cloacae* NDM-1, *Enterococcus faecalis*, *Enterococcus faecalis* - Vancomycin resistant [VRE], *Escherichia coli*, *Escherichia coli* - New Delhi Metallo-Beta Lactamase (NDM-1), ESBL *Escherichia coli*, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* – NDM-1 positive, *Legionella pneumophila*, *Listeria monocytogenes*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Serratia marcescens*, *Shigella dysenteriae*, *Staphylococcus aureus* - Community Associated Methicillin-Resistant [CA-MRSA], *Staphylococcus aureus* - Methicillin-Resistant [MRSA], *Staphylococcus aureus* - Vancomycin Intermediate Resistant – [VISA], *Streptococcus pyogenes* [Strep], *Vibrio cholerae*. \*Adenovirus Type 5, \*Adenovirus Type 7, \*Hepatitis B Virus [HBV], \*Hepatitis C Virus [HCV], \*Herpes Simplex Virus Type 1, \*Herpes Simplex

Virus Type 2 , \*HIV-1 [AIDS Virus], \*Human Coronavirus, \*Influenza Virus Type A / Brazil [Influenza], \*Influenza Virus Type A / Hong Kong [Influenza], \*2013 Influenza A Virus (H7N9), \*Norwalk Virus [Norovirus], \*Respiratory Syncytial Virus [RSV], \*Rotavirus, \*SARS Associated Coronavirus [SARS], and \*Vaccinia [Pox Virus], *Aspergillus niger*, *Aspergillus fumigatus* and *Trichophyton mentagrophytes* [the Athlete's Foot Fungus] [A Cause of Ringworm].

This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. If you do not understand the label, find someone to explain it to you in detail.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### **DISINFECTION / VIRUCIDAL\* / FUNGICIDAL / MOLD & MILDEW CONTROL DIRECTIONS:**

Apply this product undiluted to hard, nonporous surfaces, thoroughly wetting the surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes.

**For Influenza Virus Type A and Human Coronavirus**, treated surfaces must remain wet for 1 minute. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is recommended.

Spray 6-8 inches from the surface, until surface is thoroughly wet. Do not breathe spray. Let stand 10 minutes. Wipe dry with a clean cloth or sponge or allow to air dry. For heavily soiled areas, a pre-cleaning is required.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

**For fungicidal activity: ANTI 3 Protect Series Disinfectant Deodorizing Equipment Spray** is an effective one-step fungicide against Trichophyton mentagrophytes when used on hard nonporous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Allow surface to remain wet for 10 minutes.

**For mold and mildew:** Repeat treatment every 7 days or more often if new growth appears.

This product is not for use on medical device surfaces.

**KILLS HIV-1 AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].

**Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces / Objects Soiled With Blood / Body Fluids.**

**Personal Protection:** Clean-up should always be done wearing protective gloves, gowns, masks and eye protection.

**Cleaning Procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of **ANTI 3 Protect Series Disinfectant Deodorizing Equipment Spray**.

**Contact Time:** Leave surface wet for 1 minute [60 seconds] for HIV-1 and 10 minutes for HBV and HCV. Use a 10 minute contact time for disinfection against all other viruses, bacteria

and fungi claimed.

**Disposal of Infectious Material:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

**TO CLEAN AND DEODORIZE:** Spray directly on surface to be cleaned. Wipe or allow to air dry.

## **PRECAUTIONARY STATEMENTS**

### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**Caution.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

### **FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the container or label with you when calling a poison control center or doctor, or going for treatment.

## **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Triple rinse. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.